

TATA STEEL



Advance® sections price list 5

Effective 12 February 2012



Index

Advance® sections price list 5, effective from 12 February 2012

This price list replaces the version of 4 September 2011

| | | | |
|----------|---|------|-------|
| 1 | Basis specification and quality extras | | |
| 1.1 | Quality | Page | 4 |
| | Specification extras: | Page | 4 |
| | BS EN 10025 | Page | 4 |
| 1.2 | Other qualities | Page | 4 |
| | Offshore | Page | 4 |
| | Shipbuilding qualities | Page | 4 |
| 2 | Basis prices | Page | 5 |
| 2.1 | Universal beams and columns | Page | 6,7,8 |
| 2.2 | Universal bearing piles | Page | 9 |
| 2.3 | Asymmetric Slimflor® beams (ASB) | Page | 9 |
| 2.4 | Parallel flange channels | Page | 10 |
| 2.5 | Angles – equal and unequal | Page | 10 |
| 3 | Other extras to basis prices | | |
| 3.1 | Quantity | Page | 11 |
| 3.2 | Length | Page | 11 |
| 3.3 | Finishing/markings | Page | 12 |
| | Surface quality | Page | 12 |
| | Stamping | Page | 12 |
| | Straightness/squareness | Page | 12 |
| | Marking | Page | 12 |
| 3.4 | Testing and inspection | Page | 12 |
| | Inspection authorities' fees | Page | 12 |
| | Surface inspection | Page | 12 |
| | Independent inspection | Page | 12 |
| | Ultrasonic testing | Page | 13 |
| | Impact testing | Page | 13 |
| | Mechanical testing | Page | 13 |
| | Test certificates | Page | 13 |
| | Product analysis | Page | 13 |
| | Quality assurance | Page | 13 |
| 4 | Customer collection | Page | 14 |
| 5 | Certificates of approval | Page | 14 |
| 6 | Terms and conditions | Page | 14 |

1 Basis specification and quality extras

Note: In all references to specifications, Tata Steel applies the most up-to-date version relevant at the time of order placement.

1.1 Quality

Basis specification and quality extras

Specification extras

| EN10025-2 | Advance® sections grade | £ per tonne |
|-----------|-------------------------|-------------|
| *S275JR | *AdvanceS275JR | Basis |
| S275J0 | AdvanceS275J0 | 30.00 |
| S275J2 | AdvanceS275J2 | 35.00 |
| *S355JR | *AdvanceS355JR | 35.00 |
| S355J0 | AdvanceS355J0 | 45.00 |
| S355J2 | AdvanceS355J2 | 90.00 |
| S355K2 | AdvanceS355K2 | 115.00 |

*Verification of the specified impact value will not be carried out (see impact testing on page 13)

EN10025-4

| | | |
|--------|----------------------------|-----|
| S355M | | POA |
| S355ML | section sizes upto 634kg/m | POA |
| S420M | section sizes upto 634kg/m | POA |
| S420ML | section sizes upto 634kg/m | POA |
| S460M | section sizes upto 634kg/m | POA |
| S460ML | section sizes upto 634kg/m | POA |

Note

Old specifications e.g. BS 4360 may be supplied, but this is subject to referral.

1.2 Other qualities

Offshore

| EN10225 | Minimum yield strength | Charpy V-notch temp | Extra £ per tonne |
|-----------|------------------------|---------------------|-------------------|
| S355G1 | 355 MPa | -20°C | 85.00 |
| S355G4 | 355 MPa | -20°C | 90.00 |
| S355G4+M | 355 MPa | -20°C | 90.00 |
| S355G11 | 355 MPa | -40°C | 125.00 |
| S355G11+M | 355 MPa | -40°C | 125.00 |
| S355G12 | 355 MPa | -40°C | 135.00 |
| S355G12+M | 355 MPa | -40°C | 135.00 |

Notes

1. The above basis price includes all mandatory quality extras.
2. The price extra includes marking to the standard.
3. Where customers require additional marking - price on application.
4. Where the customer specifies options within the standard, these will be subject to the manufacturer's acceptance, and price extras will be applied as appropriate.
5. Tata Steel offers ultrasonic testing of all sections, as described on page 13.
6. Any third party inspectorates and/or ultrasonic testing and/or through thickness testing – price on application

Shipbuilding

| | Extra £ per tonne |
|--------------------------|-------------------|
| Lloyd's Register Grade A | Basis |
| Other qualities | By arrangement |

2 Basis prices

The basis prices on page 6 to 10 apply to the following:

Weight

The standard weights are derived from the cross sectional area on the basis of 0.785 kg per cm² per metre length. The maximum weight of an individual bar is 15 tonnes.

The weight to be charged will be the calculated weight based on the weight per metre (1 decimal point) as specified in BS4-1, EN10056-2 and the current Tata Steel Advance sections brochure as appropriate, multiplied by the ordered length.

Note

The third element of the section designation is that detailed within the appropriate standard and should not be used to calculate or verify invoiced weights.

Rolling tolerances

All Advance sections are rolled to the tolerances in EN10279, EN10034, EN10056-2, BS4-1 and the current Tata Steel Advance sections brochure as appropriate.

Quality

EN10025-2 Grade S275 JR, with the exception of Asymmetric Slimflor Beams (ASB) (Page 9).

Quantity

Each order or specification for a quantity of 10 tonnes and over, of one quality, one serial size of section and one thickness for one delivery to one destination.

Tests

Material will be tested in accordance with the relevant standard. One copy of the test certificate will be routinely supplied to the customer by Tata Steel.

Length

Basis prices apply to lengths in the range 9,000 to 18,500mm in 100mm increments, except as indicated in section 3.2 on page 11. These lengths are offered to the tolerances as specified in the relevant product standards: BS4-1; EN10034; EN 10056-2, EN10279 and the current Tata Steel Advance sections brochure as appropriate.

Labelling and marking

The brand identifier Advance is rolled into the web of all sections.

2 Basis prices continued

2.1 Universal Beams (UKB) and Columns (UKC)

Category A sizes

| Section designation | | | UKB |
|---------------------|------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 127 x 76 | x 13 | 13.0 | 1,086.00 |
| 152 x 89 | x 16 | 16.0 | 1,086.00 |
| 178 x 102 | x 19 | 19.0 | 1,076.00 |
| 203 x 102 | x 23 | 23.1 | 1,076.00 |
| 203 x 133 | x 30 | 30.0 | 1,076.00 |
| | x 25 | 25.1 | 1,076.00 |
| 254 x 146 | x 43 | 43.0 | 1,076.00 |
| | x 37 | 37.0 | 1,076.00 |
| | x 31 | 31.1 | 1,076.00 |

| Section designation | | | UKC |
|----------------------|------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| ➤ 152 x 152 | x 51 | 51.2 | 1,076.00 |
| ➤ | x 44 | 44.0 | 1,076.00 |
| | x 37 | 37.0 | 1,076.00 |
| | x 30 | 30.0 | 1,076.00 |
| | x 23 | 23.0 | 1,076.00 |
| ➤ New section sizes. | | | |

UKB & UKC

2.1 Universal Beams (UKB) and Columns (UKC)

Category B sizes

| Section designation | | kg per metre | UKB £ per tonne |
|---------------------|------|--------------|--------------------|
| Size (mm) | | | |
| 254 x 102 | x 28 | 28.3 | 1,086.00 |
| | x 25 | 25.2 | 1,086.00 |
| | x 22 | 22.0 | 1,086.00 |
| 305 x 102 | x 33 | 32.8 | 1,086.00 |
| | x 28 | 28.2 | 1,086.00 |
| | x 25 | 24.8 | 1,086.00 |
| 305 x 127 | x 48 | 48.1 | 1,086.00 |
| | x 42 | 41.9 | 1,086.00 |
| | x 37 | 37.0 | 1,086.00 |
| 305 x 165 | x 54 | 54.0 | 1,086.00 |
| | x 46 | 46.1 | 1,086.00 |
| | x 40 | 40.3 | 1,086.00 |
| 356 x 127 | x 39 | 39.1 | 1,096.00 |
| | x 33 | 33.1 | 1,096.00 |
| 356 x 171 | x 67 | 67.1 | 1,096.00 |
| | x 57 | 57.0 | 1,096.00 |
| | x 51 | 51.0 | 1,096.00 |
| | x 45 | 45.0 | 1,096.00 |
| ➤ 406 x 140 | x 53 | 53.3 | 1,096.00 |
| | x 46 | 46.0 | 1,096.00 |
| | x 39 | 39.0 | 1,096.00 |
| ➤ 406 x 178 | x 85 | 85.3 | 1,096.00 |
| | x 74 | 74.2 | 1,096.00 |
| | x 67 | 67.1 | 1,096.00 |
| | x 60 | 60.1 | 1,096.00 |
| | x 54 | 54.1 | 1,096.00 |
| 457 x 152 | x 82 | 82.1 | 1,096.00 |
| | x 74 | 74.2 | 1,096.00 |
| | x 67 | 67.2 | 1,096.00 |
| | x 60 | 59.8 | 1,096.00 |
| | x 52 | 52.3 | 1,096.00 |

Category B sizes

| Section designation | | kg per metre | UKB £ per tonne |
|---------------------|-------|--------------|--------------------|
| Size (mm) | | | |
| ➤ 457 x 191 | x 161 | 161.4 | 1,086.00 |
| ➤ | x 133 | 133.3 | 1,086.00 |
| ➤ | x 106 | 105.8 | 1,086.00 |
| | x 98 | 98.3 | 1,086.00 |
| | x 89 | 89.3 | 1,086.00 |
| | x 82 | 82.0 | 1,086.00 |
| | x 74 | 74.3 | 1,086.00 |
| | x 67 | 67.1 | 1,086.00 |
| ➤ 533 x 165 | x 85 | 84.8 | 1,096.00 |
| ➤ | x 74 | 74.7 | 1,096.00 |
| ➤ | x 66 | 65.7 | 1,096.00 |
| ➤ 533 x 210 | x 138 | 138.3 | 1,096.00 |
| | x 122 | 122.0 | 1,096.00 |
| | x 109 | 109.0 | 1,096.00 |
| | x 101 | 101.0 | 1,096.00 |
| | x 92 | 92.1 | 1,096.00 |
| | x 82 | 82.2 | 1,096.00 |
| ➤ 533 x 312 | x 272 | 273.3 | 1,096.00 |
| ➤ | x 219 | 218.8 | 1,096.00 |
| ➤ | x 182 | 181.5 | 1,096.00 |
| ➤ | x 150 | 150.6 | 1,096.00 |
| ➤ 610 x 178 | x 100 | 100.3 | 1,096.00 |
| ➤ | x 92 | 92.2 | 1,096.00 |
| ➤ | x 82 | 81.8 | 1,096.00 |
| 610 x 229 | x 140 | 139.9 | 1,096.00 |
| | x 125 | 125.1 | 1,096.00 |
| | x 113 | 113.0 | 1,096.00 |
| | x 101 | 101.2 | 1,096.00 |

| Section designation | | kg per metre | UKC £ per tonne |
|---------------------|-------|--------------|--------------------|
| Size (mm) | | | |
| ➤ 203 x 203 | x 127 | 127.5 | 1,086.00 |
| ➤ | x 113 | 113.5 | 1,086.00 |
| ➤ | x 100 | 99.6 | 1,086.00 |
| | x 86 | 86.1 | 1,086.00 |
| | x 71 | 71.0 | 1,086.00 |
| | x 60 | 60.0 | 1,086.00 |
| | x 52 | 52.0 | 1,086.00 |
| | x 46 | 46.1 | 1,086.00 |
| 254 x 254 | x 167 | 167.1 | 1,086.00 |
| | x 132 | 132.0 | 1,086.00 |

➤ New section sizes.

| Section designation | | kg per metre | UKC £ per tonne |
|---------------------|-------|--------------|--------------------|
| Size (mm) | | | |
| | x 107 | 107.1 | 1,086.00 |
| | x 89 | 88.9 | 1,086.00 |
| | x 73 | 73.1 | 1,086.00 |
| 305 x 305 | x 283 | 282.9 | 1,096.00 |
| | x 240 | 240.0 | 1,096.00 |
| | x 198 | 198.1 | 1,096.00 |
| | x 158 | 158.1 | 1,096.00 |
| | x 137 | 136.9 | 1,096.00 |
| | x 118 | 117.9 | 1,096.00 |
| | x 97 | 96.9 | 1,096.00 |

UKB & UKC

2 Basis prices continued

2.1 Universal Beams (UKB) and Columns (UKC)

Category C sizes

| Section designation | | | UKB |
|---------------------|-------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 610 x 305 | x 238 | 238.1 | 1,118.00 |
| | x 179 | 179.0 | 1,118.00 |
| | x 149 | 149.1 | 1,118.00 |
| 686 x 254 | x 170 | 170.2 | 1,128.00 |
| | x 152 | 152.4 | 1,128.00 |
| | x 140 | 140.1 | 1,128.00 |
| | x 125 | 125.2 | 1,128.00 |
| 762 x 267 | x 197 | 196.8 | 1,128.00 |
| | x 173 | 173.0 | 1,128.00 |
| | x 147 | 146.9 | 1,128.00 |
| | x 134 | 133.9 | 1,128.00 |
| 838 x 292 | x 226 | 226.5 | 1,128.00 |
| | x 194 | 193.8 | 1,128.00 |
| | x 176 | 175.9 | 1,128.00 |
| 914 x 305 | x 289 | 289.1 | 1,138.00 |
| | x 253 | 253.4 | 1,138.00 |
| | x 224 | 224.2 | 1,138.00 |
| | x 201 | 200.9 | 1,138.00 |
| 914 x 419 | x 388 | 388.0 | 1,138.00 |
| | x 343 | 343.3 | 1,138.00 |

| Section designation | | | UKB |
|---------------------|-------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 1016 x 305 | x 487 | 487.0 | 1,638.00 |
| | x 438 | 438.0 | 1,638.00 |
| | x 393 | 393.0 | 1,638.00 |
| | x 349 | 349.0 | 1,638.00 |
| | x 314 | 314.0 | 1,638.00 |
| | x 272 | 272.0 | 1,638.00 |
| | x 249 | 249.0 | 1,638.00 |
| | x 222 | 222.0 | 1,638.00 |

| Section designation | | | UKC |
|---------------------|-------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 356 x 368 | x 202 | 201.9 | 1,144.00 |
| | x 177 | 177.0 | 1,144.00 |
| | x 153 | 152.9 | 1,144.00 |
| | x 129 | 129.0 | 1,144.00 |
| | x 634 | 633.9 | 1,154.00 |
| 356 x 406 | x 551 | 551.0 | 1,154.00 |
| | x 467 | 467.0 | 1,154.00 |
| | x 393 | 393.0 | 1,144.00 |
| | x 340 | 339.9 | 1,144.00 |
| | x 287 | 287.1 | 1,144.00 |
| | x 235 | 235.1 | 1,144.00 |

Universal Beams (UKB) and Columns (UKC)

| | Extra £ per tonne |
|---------------------|-------------------|
| Non-standard sizes* | POA |

*Those that are obtained by raising the rolls of the parent BS4-1 size.

N.B. There may be a minimum requirement associated with non-standard sizes

UKBP & ASB

2.2 Universal Bearing Piles (UKBP)

| Section designation | | | UKBP |
|---------------------|-------|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 203 x 203 | x 54 | 53.9 | 1,096.00 |
| | x 45 | 44.9 | 1,096.00 |
| 254 x 254 | x 85 | 85.1 | 1,096.00 |
| | x 71 | 71.0 | 1,096.00 |
| | x 63 | 63.0 | 1,096.00 |
| 305 x 305 | x 223 | 222.9 | 1,096.00 |
| | x 186 | 186.0 | 1,096.00 |
| | x 149 | 149.1 | 1,096.00 |
| | x 126 | 126.1 | 1,096.00 |
| | x 110 | 110.0 | 1,096.00 |
| | x 95 | 94.9 | 1,096.00 |
| | x 88 | 88.0 | 1,096.00 |
| | x 79 | 78.9 | 1,096.00 |
| 356 x 368 | x 174 | 173.9 | 1,144.00 |
| | x 152 | 152.0 | 1,144.00 |
| | x 133 | 133.0 | 1,144.00 |
| | x 109 | 108.9 | 1,144.00 |

Individual requirements for Universal Bearing Piles (UKBP) should be discussed with Tata Steel prior to order placement. UKBP are rolled at the same frequency as Universal Columns (UKC) of the same nominal dimension.

2.3 Asymmetric Slimflor® Beams (ASB)

A family of rolled sections with wide bottom flanges intended for use in Slimdek® construction. These beams have a surface embossment on the top flange to develop action with the concrete encasement.

| Section designation | | | S355J0 |
|---------------------|--|--------------|-------------|
| Size (mm) | | kg per metre | £ per tonne |
| 280 ASB 74 | | 73.6 | 1,319.00 |
| 280 ASB 100 | | 100.3 | 1,319.00 |
| 280 ASB 105 | | 104.7 | 1,319.00 |
| 280 ASB 124 | | 123.9 | 1,319.00 |
| 280 ASB 136 | | 136.4 | 1,319.00 |
| 300 ASB 153 | | 152.8 | 1,319.00 |
| 300 ASB 155 | | 155.4 | 1,319.00 |
| 300 ASB 185 | | 184.6 | 1,319.00 |
| 300 ASB 196 | | 195.5 | 1,319.00 |
| 300 ASB 237 | | 237.1 | 1,319.00 |
| 300 ASB 249 | | 249.2 | 1,319.00 |

UKPFC & UKA

2 Basis prices continued

2.4 Parallel Flange Channels (UKPFC)

Category A sizes

| Section designation Size (mm) | kg per metre | UKPFC £ per tonne |
|----------------------------------|--------------|----------------------|
| 125 x 65 x 15 | 14.8 | 1,060.00 |
| 150 x 75 x 18 | 17.9 | 1,060.00 |
| 180 x 75 x 20 | 20.3 | 1,060.00 |
| 200 x 75 x 23 | 23.4 | 1,060.00 |

Category B sizes

| Section designation Size (mm) | kg per metre | UKPFC £ per tonne |
|----------------------------------|--------------|----------------------|
| 150 x 90 x 24 | 23.9 | 1,096.00 |
| 180 x 90 x 26 | 26.1 | 1,096.00 |
| 200 x 90 x 30 | 29.7 | 1,096.00 |
| 230 x 75 x 26 | 25.7 | 1,171.00 |
| 230 x 90 x 32 | 32.2 | 1,171.00 |
| 260 x 75 x 28 | 27.6 | 1,171.00 |
| 260 x 90 x 35 | 34.8 | 1,171.00 |
| 300 x 90 x 41 | 41.4 | 1,171.00 |
| 300 x 100 x 46 | 45.5 | 1,171.00 |
| 380 x 100 x 54 | 54.0 | 1,203.00 |
| 430 x 100 x 64 | 64.4 | 1,341.00 |

Parallel Flange Channels (UKPFC)

| Section designation Size (mm) | kg per metre | UKPFC £ per tonne |
|----------------------------------|--------------|----------------------|
| Non-standard sizes* | | POA |

*Those that are obtained by raising the rolls of the parent BS4-1 size.

N.B. There may be a minimum requirement associated with non-standard sizes.

2.5 Equal and Unequal Angles (UKA)

Category A sizes

| Size (mm) | Thickness (mm) | UKA £ per tonne |
|-----------|----------------|--------------------|
| 120 x 120 | 10, 12, 15 | 1,044.00 |

Category B sizes

| Size (mm) | Thickness (mm) | UKA £ per tonne |
|-----------|--------------------|--------------------|
| 150 x 150 | 10, 12, 15, 16, 18 | 1,054.00 |
| 200 x 200 | 16, 20, 24, 28 | 1,138.00 |
| 200 x 100 | 10, 12, 15 | 1,138.00 |
| 200 x 150 | 12, 15, 18 | 1,563.00 |

Angles

Refer to mill for length and grade availability.

| | Extra £ per tonne |
|---------------------|-------------------|
| Non-standard sizes* | POA |

*Those that are obtained by raising the rolls of the parent EN10056-1 size.

N.B. There may be a minimum requirement associated with non-standard sizes.

3 Other extras to basis prices

3.1 Quantity

Each order or specification of one quality, one serial size of section and one thickness for one delivery to one destination.

| Weight | Extra £ per tonne |
|--|-------------------|
| 10 tonnes and over | Basis |
| Under 10 tonnes to 5 tonnes | 15.00 |
| Under 5 tonnes to 2 tonnes | 25.00 |
| Under 2 tonnes (when available – see note) | 50.00 |

Orders under 2 tonnes are not normally accepted. Basis price will also apply to orders accepted for 20 tonnes or over of one quality and one serial size of section in more than one thickness for one delivery to one destination.

Note

There are certain mill restrictions with regard to quantities for certain sizes and lengths. Details are available on request.

3.2 Length

Universal Beams, Columns and Bearing Piles (UKB, UKC and UKBP)

| Lengths | £ per tonne |
|---|-------------|
| 6,000mm to under 9,000mm in 100mm increments | 15.00 |
| 9,000mm to 18,500mm in 100mm increments | Basis |
| Over 18,500mm to 24,000mm in 100mm increments | POA |
| Lengths over 24,000mm are subject to referral | POA |

Channels, Asymmetric Slimflor® Beams and Angles (UKPFC, ASB and UKA)

| Lengths | £ per tonne |
|---|-------------|
| 6,000mm to 18,500mm in 100mm increments | Basis |
| Over 18,500mm to 24,000mm in 100mm increments | POA |
| Lengths over 24,000mm are subject to referral | POA |

Notes

- Orders are not normally accepted for length increments of less than 100mm except when cold sawing is specified and agreed.
- Customers should be aware that there are certain production conditions which may limit the availability of products over 24,000mm and individual orders should be discussed with Tata Steel.

3 Other extras to basis prices continued

3.3 Finishing/markings

Surface quality

| | Extra £ per tonne |
|---|-------------------|
| Specification of class D in respect of EN 10163-3 | POA |
| Where specified by the purchaser, other non-standard surface quality requirements may be provided | POA |

Stamping

| | Extra £ per tonne |
|--|-------------------|
| Stamping will only be carried out when specified as a mandatory requirement of the specification | POA |
| Where requested by the customer, the stamping of all sections can be offered by Tata Steel | POA |

Straightness/squareness

For specified applications, tighter tolerances of Universal Beams (UKB), Columns (UKC) and Bearing Piles (UKBP) can be provided such that squareness is controlled to half tolerances to a minimum of 3mm and straightness is offered at half tolerances.

| | Extra £ per tonne |
|----------------|-------------------|
| - Straightness | POA |
| - Squareness | POA |

Note

Customers are advised to specify this requirement at the time of enquiry and order placement.

Marking

| | Extra £ per tonne |
|---------------------------------------|-------------------|
| Tata Steel barcoded label | Basis |
| Label supplemented with colour coding | POA |

Note

Other specific marking not covered by the above information can be provided by Tata Steel.

Price on application.

3.4 Testing and Inspection

Inspection authorities' fees

Inspection authorities' fees, including Lloyd's Register and other shipping survey societies, will be charged in full to the buyer.

Surface inspection

Advance sections comply with the normal surface condition requirements specified in the appropriate product standard and manufactured in accordance with the appropriate quality control procedures.

| | Extra £ per tonne |
|---|-------------------|
| Special requirements may be accommodated by agreement | POA |

Note

See surface quality section 3.3 above.

Independent inspection

| | Extra £ per tonne |
|--|-------------------|
| When surface inspection and/or inspection of section dimensional/shape tolerance and section identification marks is to be undertaken in the presence of the purchaser or his representative | POA |

Ultrasonic testing

| | Extra £ per tonne |
|--|-------------------|
| Testing to EN 10306 and EU 186-87 can be offered* | POA |
| Ultrasonic testing of all sections is provided by Tata Steel | POA |
| Witnessing** | POA |

Notes

1. Any special requirements regarding limits on internal defects should be agreed at the time of the original order.
2. Tests not specified and agreed at the time of ordering will not be considered part of the contract.
3. *Edge testing as defined in BS 5996, is not available.
4. **Ultrasonic testing undertaken in the presence of the purchaser or outside inspection authority.

Impact testing

| | Extra £ per tonne |
|---|-------------------|
| Where customers exercise option 3 of EN 10025-2 for impact testing, the request must be made at the time of order placement | POA |
| Other impact testing | POA |

Mechanical testing

| | Extra £ per tonne |
|---|-------------------|
| Additional mechanical testing available | POA |

Test certificates

| | Extra £ per tonne |
|---|-------------------|
| Test certificates supplied in accordance with EN 10204 Type 3.1 | Basis |
| Test certificates supplied to other EN 10204 Types | POA |

Product analysis

| | Extra £ per tonne |
|------------------|-------------------|
| Product analysis | POA |

Note

A minimum charge will apply for each order or specification of one quality, one serial size of section and one thickness for one delivery.

Quality assurance

Tata Steel has been approved by Lloyd's Register Quality Assurance to EN ISO 9001, including the production and supply of sectional products and extra finishing operations. Additionally Lloyd's Register has approved Tata Steel's Section Mills Quality Management Systems and Factory Production Controls in accordance with the Construction Products Directive. As appropriate, Advance sections will be supplied with a test certificate showing the CE mark.

| | Extra £ per tonne |
|--|-------------------|
| Where the customer requires sections manufacture to be in accordance with an agreed quality plan involving multiple inter-stage inspection, document reviews or other procedures, inspection charges will reflect the degree of inspection required by the quality plan and the number of inspection authorities involved. | POA |

4 Customer collection

Customer collection

| | Extra £ per tonne |
|---|-------------------|
| Collection by the customer with his own transport | POA |

Note

The following conditions will apply to customer collecting material from works:

1. Customers will be advised when consignments are available for collection. If the material is not collected within the specified time an additional charge for warehousing will be added to the invoice.
2. Tata Steel will not normally provide any indication of waiting time for customers' vehicles loading at works and shall be under no obligation to do so.
3. Vehicles collecting from Tata Steel works must be governed by Tata Steel health and safety standards.

5 Certificates of approval

Advance sections are fully compliant with the requirements of the Construction Products Directive (CPD 89/106/EEC). Our Declaration of Conformity and Notified Body Approval Certificates can be viewed on-line at www.tatasteellongproducts.com/publications

6 Terms and conditions of sale

Standard terms and conditions are available upon request. All prices are published or quoted on the basis that Tata Steel UK Limited's standard conditions of sale for deliveries worldwide in force at the time of the order acknowledgement apply unless and to the extent expressly confirmed otherwise in writing (not including email) on behalf of Tata Steel UK Limited. The latest version of these conditions is available at www.tatasteeleurope.com/salesconditions



www.tatasteel.com

Trademarks of Tata Steel

Advance, Slimdek, Slimflor, UKA, UKB, UKBP, UKC and UKPFC are trademarks of Tata Steel

Care has been taken to ensure that this information is accurate, but Tata Steel Europe Ltd, including its subsidiaries, does not accept responsibility or liability for errors or information which is found to be misleading.

Copyright 2011
Tata Steel

References to British Standards are in respect of the current versions and extracts are quoted by permission of the British Standards Institute from whom copies of the full standards may be obtained.

Main Commercial Office

PO Box 1
Brigg Road
Scunthorpe
North Lincolnshire
DN16 1BP
T +44(0) 1724 404040
F +44(0) 1724 405600

Scotland

PO Box 30
Motherwell
Lanarkshire
ML1 1AA
T +44(0) 1698 265033
F +44(0) 1698 232888